



**SUB COMPACT TRACTOR** 

**SA221** | **SA424** 26HP







### YANMAR SA221

### Less is more

Small but perfectly formed is a term that might have been designed to describe the Yanmar SA221. The sub compact tractor might be small but it crams in features, benefits and innovations at every turn.

#### Compact body

Even though it is designed to tackle the duties normally charged to larger tractors, the Yanmar SA221 features a compact body that would not look out of place on a regular garden tractor. In addition to adding to the smooth lines of the machine, this compact body lends the tractor a work-anywhere capability that allows it to work in areas where space is limited.

Yanmar recognises that tractors are, first and foremost, working machines; working machines that need to be strong enough to withstand long working hours in harsh conditions; working machines that are easy to maintain and cost-effective to run.

So, in keeping with all Yanmar tractors, the new SA221 is designed to withstand the rigours of extreme tractor applications. Components are selected as much for durability as for aesthetic appeal to create a sub compact tractor that is as tough as it is beautiful to look at.

#### **Spacious Operator Area**

The Yanmar SA221 unit is operated from a spacious and well-appointed operator's area that features a fully-adjustable suspension seat with foldable arm rests for optimum operator comfort. That comfort is further enhanced by an isolationmounted engine and full-frame chassis that minimizes vibration through the operator compartment.


#### Easy to operate

A hydrostatic transmission with convenient side-by-side pedals for simple forward/reverse operation provides multiple range options to get the job done regardless of terrain or the implement you're using. Smooth hydraulic power steering delivers no kickback in the steering

wheel for reduced operator fatigue. These features combine to produce a tractor that is easy and above all safe to operate.

#### Yanmar at heart

All the key engine and drivertrain components bear the Yanmar stamp of quality to provide purpose-matched performance, a long, trouble-free life, and the peace of mind that comes with using only the very best.



The Yanmar SA424 is a welterweight contender; a compact lean machine that packs a punch, making it the ideal choice for demanding duties on larger properties and difficult terrain.

The machine's compact body allows it to work in confined spaces while providing the balance and stability required to give the operator the confidence to make maximum use of its go-anywhere capabilities.

Tough terrain needs a tough tractor. Tough terrain needs the Yanmar SA424; a sub compact tractor built specifically to withstand the knocks of working life. Designed to perform in challenging terrain, the new Yanmar SA424 has a higher ground clearance and is incredibly stable under tough conditions.

The machine is equipped with a larger, more aggressive tyre package. This makes for a tractor with increased ground clearance and greater operational stability over challenging terrain. It means you can operate in the toughest of territory with complete comfort and confidence. And with this increased operating confidence, you'll be able to get even more out of what your land has to offer.

The Yanmar name is synonymous with quality; and in the SA424, that reputation is solidified.

Every aspect of the 424 - from the design, through the components, to the aesthetics of the tractor simply exude quality.

No stone has been left unturned in the pursuit of quality, power, performance and durability. The result is a tractor that performs as good as it looks... And it looks stunning.

applications.

Your most important asset is your staff; and the SA424 has been designed to take the very best care of that asset.

The machine is operated from a ROPS that is fitted as standard with a comfort seat that supports the operator through a long working day.

Spacious and well-appointed, the cab boasts ample leg and storage room and ergonomically-positioned controls for maximum operator comfort and reduced fatigue.

Yanmar tractors are built to work hard so the operator doesn't have to. The Yanmar SA424 is designed to be simple to operate, requiring minimal training to deliver optimum returns on your investment.

# Compact, clean Yanmar engine

- Eco-Diesel
- Yanmar made
- Durable & reliable
- Easy maintenance

Maintaining Yanmar's forward-thinking vision, the SA Series tractors have been built around fuel efficient and environmentally-friendly diesel engines to deliver unprecedented levels of power, performance and economy.

The Yanmar SA221 is powered by a fuel efficient and emissions compliant Yanmar engine developing 22 HP at a rated 3,000 rpm to deliver a top speed of 14 km/h. A 23-litre fuel tank allows the SA221 machine to work for long periods before refuelling.

The emissions-compliant Yanmar diesel engine used in the larger SA424 develops 26 HP at a rated 3,000 rpm for additional power and performance, a top speed of 22 km/h while providing class-leading fuel economy. A large capacity fuel tank again ensures that the machine can be operated for long periods without refuelling.







Ultra Compact & High Performance

Compact Diesel

Low Noise

**Vibration** 

Environment-Friendly

**Power** 

# Engine, Transmission & Transaxels

#### Made together to work together

If the engine produces the power, then the transmission is the means by which it is put where it counts: in the axles, in the tyres and in the implements.

Yanmar makes all the major drivetrain components - the engine, transmission and axles - in-house. And because they're made together to work perfectly together, you get a hardworking

machine with more useable horsepower, less power loss and a smoother, more comfortable ride. We call it Performance Link Technology™. You'll call it invaluable.

#### Engine, transmission and axles

Yanmar designs and builds all the main components: engine,transmission & axles. Cast iron transaxle and front axle

offers high durability for variety of work you perform. An integrated transaxle works well with a full-frame chassis. Those are designed together to let the tractor perform. In order to deliver engine power with maximum efficiency, engine and transaxle are directly connected with main drive shaft.



8



# Comfort

- Spacious operator area
- Low vibration
- Long on one tank
- Quiet-running engine
- Comfortable Stearing wheel
- Deluxe seat

#### Taking care of your greatest asset: your people

#### Spacious operator area

The operator's area in the SA Series tractors is more than just a cab; it is a comfortable, well-protected and safe haven with lots of room, all controls readily to hand.

#### Chassis-frame type

Operator comfort is further enhanced by an isolation-mounted engine and full-frame chassis that minimises noise and vibration through the operator compartment.

#### SA424-Easy step in

A strategically-located step together with grab handles provides easy and safe ingress and egress from the operator's compartment.



#### **Fuel tank**

Filled via a conveniently-located filler cap, both tractors boast an exceptionally large fuel tank that when combined with the fuel-efficient engines - affords long periods before refuelling to maximise productivity and minimise downtime.



#### 23 Liters - Fuel tank

In combination with our very fuel efficient engine no need to stop the job to refuel. One gets more work done when you're not stopping frequently to

#### **Comfortable Steering wheel**

Ergonomically-designed steering wheel provides operator with superb and responsive machine control together with optimum comfort.

#### **Deluxe seat**

A luxury EU-accredited suspension seat featuring foldable arm rests can be adjusted in height and position to provide the operator with the optimum operating comfort and excellent support during a long working day.


#### Illuminated meter panel

A large digital display panel ensures that the operator is aware of all key operating functions while a digital gauge accurately monitors fuel consumption and fuel levels.



An operator's compartment quieter than a library and a seat so comfortable that you might struggle to get the operator to leave it at the end of a working shift.





- Selective 4WD
- Hydraulic power steering
- Side-by-side foot pedals
- 4-position implement control valve

#### **Selective 4WD**

Mechanically-engaged 4-wheel drive provides excellent performance in even the most difficult ground conditions to provide maximum tractive effort in heavy front loader applications and to drive other implements.





Hydraulic power steering Light steering makes the SA tractors easy to operate in confined spaces and helps minimise operator fatigue.



# 4-position implement control valve All implement controls are via a single joystick that is controlled by a 4-position control valve that facilitates faster implement changes and greater levels of control.



#### Side-by-side foot pedals

A pair of side-by-side hydrostatic foot pedals provide fast and smooth forward and reverse speed changes, allowing the operator to concentrate on steering and controlling the implements.

2



# Versatility

- Ground clearance
- Versatile category 3-point hitch
- ROPS
- Deluxe lever guide

#### Ground clearance

Offering a smooth ride in all terrains, the SA424 boasts a class-leading ground clearance of 249 mm.

#### **ROPS**

The Yanmar SA Series tractors are operated from a spacious, well-appointed area including ROPS that features a fully adjustable suspension seat with foldable arm rests for optimum operator comfort.


AR 424

#### Versatile category 3-point hitch

The machine is equipped with a Category I 3-point hitch as standard, and is offered with a wide array of attachments for maximum operating versatility and optimum utilisation levels.

#### Deluxe lever guide

Colour-coded and ergonomically-located control lever makes SA Series tractors easy and stress-free to operate.





1/

# Simple to service, easy to maintain



- Easy to work with
- Simple access
- One piece bonnet

#### Easy access to key maintenance parts

Low-maintenance Yanmar engines have been designed to provide extended service intervals. However, when service or maintenance work is required, users will find the engines exceptionally easy to work on.

Thanks to a polycarbonate hood that folds back in one piece, access to all key maintenance points is greatly simplified. In addition, all key service points are grouped on one side for convenience and accessibility.

#### **Radiator in front**

A front-mounted radiator is protected against the ingress of grass for a long working life and optimum engine cooling and protection.






#### One piece bonnet

Durable polycarbonate bonnet folds back in a single piece to provide easy access to all key service points for simplified maintenance.

## Maintenance

6



### **Specifications**

Model			SA221	SA424	
Maker			YANMAR		
Engine	Model		3TNM72-DRE	3TNV76-DRE	
	Туре		4 Cycle Inline, Water-Cooled Diesel		
	Number of Cylinders		3		
	Bore and Stroke	[mm]	72 x 74	76 x 82	
	Total Displacement cu. in.	[L]	0.903	1.116	
	Power*	[kW]	16.1	19.2	
	Power*	[HP]	22	26	
	Rated Revolution	[rpm]	3000		
	Maximum Torque	[N•m]	55.7	67.8	
	Battery		540CCA		
	Fuel		Diesel Fuel		
	Fuel Tank	[L]	23		
	Engine Oil	[L]	2.9	3.4	
Capacities	Engine Coolant	[L]	2.8		
	Transmission Oil	[L]	15.5		
	Front-axle Oil	[L]	3.0		
	Overall Length [with 3-Point Hitch]	[mm]	2699	2793	
	Overall Width [with R4 Tires]	[mm]	1200	1439	
	Overall Height [with Roll-Over Protective Structure [ROPS], R4 Tires]	[mm]	2090	2215	
	Overall Heigt [with Folded ROPS, R4 Tires]	[mm]	1515	1675	
Dimensions [ROPS]	Overall Height [with R4 Tires] [Top of Steering wheel]	[mm]	1299	1440	
	Wheel Base	[mm]	1470	1600	
	Min. Ground Clearance [with R4 Tires]	[mm]	163	249	
	Tread Front	[mm]	894	960	
	[with R4] Rear	[mm]	894	1028	
	Weight ROPS [with R4 Tires]	[kg]	764	842	
Dimensions [CABIN]	Overall Lenght [with 3-Point Hitch]	[mm]	2699	2793	
	Overall Width [with R4 Tires]	[mm]	1215	1439	
	Overall Height [R4 Tires]	[mm]	2060	2190	
	Weight [with R4 Tires]	[kg]	1100	1190	

<sup>\*</sup> Rated Engine Net Power - According to UNECE Regulation No. 120

Travelling section	Tire	Turf [R3]	Front	18 x 8.50-10 4PR	24 x 8.50-14 4PR
			Rear	26 x 12.0-12 4PR	36 x 14.00-15 4PR
		Industrial [R4]	Front	18 x 8.50-10 6PR	23 x 8.50-12 4PR
			Rear	26 x 12.0-12 4PR	14-17.5 6PR
	Steering		Hydrostatic Power		
	Transmission			Hydrostatic Transmission	Hydrostatic Transmission, 2 Rance Speeds
	Drive			Selected 4WD	
	Brake			Wet Disk	
	Minimum Turning Radius		[m]	2.4	2.6
	Hydraulic	Control System		Select Control, Open Center	Position Control, Open Center
	Pump Ca	Pump Capacity [main] [L/min]		16.1	
	Pump Capacity [steering] [L/min] 3-Point Hitch		14.1		
			Limited Category 1		
	Max. Lift Force	Lift Point	[kg]	520	713
		24 in. Behind Lift Point	[kg]	300	548
	System P	ressure	[bar]	130	167
	Туре		Hydraulic Clutch		
	Power		[kW]	11	14
	Rear	Shaft Size		1 3/8* 35 mm OD, 6 Splines	
Power Take Off [PTO]		Туре		Independent	
		Speed/Engine	[min <sup>-1</sup> [rmp]]	540@3120	
	Mid	Shaft Size		SAE 16/32, 15 Splines	
		Туре		Independent	
		Speed/Engine	[min <sup>-1</sup> [rmp]]	200	0@3111

# Traveling Speeds [Reference]

Model		Forward	Reverse
		[km/h]	[km/h]
SA221	-	0-13.0	0-9.0
SA424	Lo	0-9.4	0-6.6
	Hi	0-23.3	0-15.5

 $2^{\circ}$ 



# Find your Yanmar dealer nearby

Home-based in Japan, Yanmar is a premium brand in industrial diesel engines and machinery, including agricultural equipment. European headquarters are located in the Netherlands.

For agricultural products, spare parts and support we have an broad partner network with almost 180 carefully selected dealers and distributors in 20+ European countries. More than 60 of them cover Germany. Next to farming and gardening, you will find Yanmar products in a wide range of applications in marine, construction, energy systems, and industry.

www.yanmaragriculture.eu/dealer-locator



#### **Head Office**

Yanmar Co., Ltd. YANMAR FLYING-Y BUILDING 1-32 Chayamachi, Kita-ku, 530-8311 Osaka, Japan www.yanmar.com

#### Regional Office / Sales & Service

Yanmar Europe B.V.
Brugplein 11, 1332 BS Almere, The Netherlands
T: +31 (0)36 549 3200
F: +31 (0)36 549 3209
E: agrienquiry-yeu@yanmar.com
www.yanmar.com/eu